

**Table 1: 1, 2 and 5 year net survival by site for patients with brain tumours ages 20 and older (2010-15 BC, AB, MB, ON).**

Site	Percent Malignant	Cases	1-year	95% CI	2-year	95% CI	5-year	95% CI
Cerebrum	90.76	615	0.46	0.42-0.5	0.34	0.3-0.38	0.23	0.2-0.27
Frontal Lobe	95.00	3235	0.56	0.54-0.58	0.41	0.39-0.42	0.3	0.28-0.32
Temporal Lobe	94.58	2325	0.55	0.53-0.57	0.34	0.32-0.36	0.21	0.19-0.23
Parietal Lobe	96.17	1355	0.48	0.45-0.5	0.29	0.26-0.31	0.17	0.15-0.2
Occipital Lobe	90.35	340	0.53	0.48-0.58	0.32	0.27-0.37	0.23	0.19-0.28
Ventricle	41.11	180	0.83	0.76-0.88	0.79	0.72-0.85	0.77	0.69-0.83
Cerebellum	31.01	630	0.87	0.84-0.89	0.83	0.8-0.86	0.8	0.76-0.83
Brain Stem	70.61	260	0.7	0.64-0.76	0.63	0.57-0.68	0.53	0.47-0.6
Other Brain	39.34	3750	0.57	0.55-0.58	0.51	0.5-0.53	0.44	0.42-0.45
Spinal Cord and Cauda Equina	23.02	995	0.94	0.92-0.96	0.93	0.91-0.94	0.9	0.88-0.93
Cranial Nerves	1.81	1825	0.98	0.97-0.98	0.97	0.96-0.98	0.98	0.95-0.99
Other Nervous System	49.37	160	0.75	0.67-0.81	0.73	0.65-0.79	0.69	0.6-0.77
Meninges (Cerebral & Spinal)	2.26	8935	0.9	0.9-0.91	0.88	0.87-0.89	0.82	0.81-0.83
Pituitary & Craniopharyngeal Duct	0.87	4580	0.95	0.95-0.96	0.94	0.93-0.95	0.92	0.91-0.93
Pineal*	45.45	100	0.87	0.78-0.92	0.82	0.73-0.89	0.8	0.69-0.87
Olfactory Tumours of the Nasal Cavity	-	.	.	.-.	.	.-.	.	.-.
Total	34.26	29345	0.77	0.76-0.77	0.7	0.7-0.71	0.64	0.63-0.65

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

**Table 2: 1, 2 and 5 year net survival by site for patients with brain tumours ages 19 and younger (2010-15 BC, AB, MB, ON).**

Site	Percent Malignant	# of Cases	1- year	95% CI	2-year	95% CI	5-year	95% CI
Cerebrum	83.333	95	0.83	0.74-0.89	0.71	0.61-0.79	0.68	0.58-0.76
Frontal Lobe**	75.728	105	.	.-.	0.86	0.78-0.91	0.8	0.71-0.86
Temporal Lobe	49.573	115	0.93	0.86-0.96	0.92	0.85-0.95	0.87	0.8-0.92
Parietal Lobe*	-	.	.	.-.	.	.-.	.	.-.
Occipital Lobe*	-	.	.	.-.	.	.-.	.	.-.
Ventricle	60.465	85	0.91	0.83-0.96	0.87	0.78-0.92	0.83	0.73-0.89
Cerebellum	94.215	240	0.96	0.92-0.98	0.91	0.87-0.94	0.86	0.81-0.9
Brain Stem	91.628	215	0.75	0.69-0.8	0.62	0.55-0.68	0.54	0.47-0.61
Other Brain	40.921	390	0.92	0.89-0.95	0.91	0.87-0.93	0.88	0.85-0.91
Spinal Cord and Cauda Equina	48.352	90	0.93	0.85-0.97	0.93	0.85-0.97	0.9	0.82-0.95
Cranial Nerves**	45.455	110	.	.-.	.	.-.	.	.-.
Other Nervous System*	-	.	.	.-.	.	.-.	.	.-.
Meninges (Cerebral & Spinal)**	19.355	60	.	.-.	.	.-.	.	.-.
Pituitary & Craniopharyngeal Duct**	4.217	165	.	.-.	.	.-.	0.96	0.91-0.98
Pineal gland**	80.882	70	.	.-.	0.86	0.76-0.92	0.82	0.7-0.89
Olfactory Tumours of the Nasal Cavity*	-	.	.	.-.	.	.-.	.	.-.
Total	58.585	1825	0.92	0.9-0.93	0.87	0.86-0.89	0.83	0.81-0.85

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

**Table 3: 1, 2 and 5 year net survival by CBTRUS histology for patients with malignant brain tumours ages 20 and older (2010-15 BC, AB, MB, ON).**

Histology	# of Cases	1-year	95% CI	2-year	95% CI	5-year	95% CI
Pilocytic Astrocytoma**	115	.	.-.	.	.-.	0.91	0.83-0.95
Diffuse Astrocytoma	430	0.66	0.61-0.7	0.55	0.5-0.6	0.43	0.38-0.48
Anaplastic Astrocytoma	405	0.6	0.55-0.65	0.48	0.43-0.53	0.37	0.32-0.42
Unique Astrocytoma	50	0.61	0.47-0.73	0.5	0.35-0.63	0.41	0.27-0.55
Glioblastoma	5390	0.42	0.4-0.43	0.19	0.18-0.2	0.07	0.06-0.08
Oligodendroglioma	390	0.92	0.88-0.94	0.87	0.83-0.9	0.79	0.74-0.83
Anaplastic Oligodendroglioma	330	0.79	0.74-0.83	0.65	0.6-0.7	0.49	0.43-0.55
Oligoastrocytic Tumour	400	0.81	0.77-0.85	0.69	0.64-0.73	0.53	0.48-0.58
Ependymal Tumours	230	0.93	0.88-0.95	0.89	0.84-0.92	0.83	0.77-0.88
Glioma Malignant NOS	520	0.55	0.5-0.59	0.46	0.41-0.5	0.35	0.3-0.4
Neuronal and Mixed Neuronal-Glial Tumours	75	0.82	0.7-0.89	0.67	0.55-0.77	0.59	0.45-0.7
Tumours of the Pineal Region*	.	.	.-.	.	.-.	.	.-.
Embryonal Tumours	85	0.71	0.6-0.8	0.59	0.48-0.69	0.56	0.44-0.66
Other Neuroepithelial Tumours*	.	.	.-.	.	.-.	.	.-.
Tumours of Cranial and Spinal Nerves*	.	.	.-.	.	.-.	.	.-.
Meningioma	155	0.83	0.75-0.88	0.72	0.64-0.79	0.55	0.45-0.63
Mesenchymal Tumours*	.	.	.-.	.	.-.	.	.-.
Primary Melanocytic Lesions*	.	.	.-.	.	.-.	.	.-.
Other Neoplasms Related to the Meninges*	.	.	.-.	.	.-.	.	.-.
Lymphoma	595	0.54	0.5-0.57	0.46	0.42-0.5	0.37	0.33-0.41
Other Hemopoietic Neoplasms*	.	.	.-.	.	.-.	.	.-.
Germ Cell Tumours, Cysts and Heterotopias*	.	.	.-.	.	.-.	.	.-.
Tumours of the Sellar Region Region*	.	.	.-.	.	.-.	.	.-.
Unclassified Tumours	695	0.26	0.23-0.29	0.22	0.19-0.25	0.17	0.13-0.2
Not Classified in CBTRUS*	.	.	.-.	.	.-.	.	.-.
Total	10055	0.52	0.51-0.53	0.36	0.35-0.37	0.25	0.24-0.26

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases being less than 5 or the difference between the number of cases and the product being less than 5.

**Table 4: 1, 2 and 5 year net survival by CBTRUS histology and sex for patients with malignant brain tumours ages 20 and older (2010-15 BC, AB, MB, ON).**

Histology	Female							Male						
	# of Cases	1-year	95% CI	2-year	95% CI2	5-year	95% CI3	# of Cases	1-year	95% CI	2-year	95% CI2	5-year	95% CI3
Pilocytic Astrocytoma**	50	.	..	.	..	0.89	0.73-0.96	65	.	..	.	..	.	..
Diffuse Astrocytoma	170	0.69	0.61-0.75	0.56	0.48-0.63	0.44	0.35-0.52	260	0.64	0.58-0.7	0.54	0.48-0.6	0.43	0.36-0.49
Anaplastic Astrocytoma	185	0.64	0.57-0.71	0.52	0.44-0.58	0.4	0.32-0.47	220	0.57	0.5-0.63	0.46	0.39-0.52	0.35	0.28-0.42
Unique Astrocytoma*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Glioblastoma	2190	0.41	0.39-0.43	0.19	0.18-0.21	0.08	0.06-0.09	3200	0.42	0.4-0.44	0.18	0.17-0.2	0.06	0.05-0.07
Oligodendroglioma	160	0.9	0.84-0.93	0.85	0.79-0.9	0.78	0.7-0.85	230	0.93	0.89-0.95	0.88	0.83-0.92	0.79	0.72-0.84
Anaplastic Oligodendroglioma	140	0.76	0.68-0.83	0.64	0.56-0.72	0.47	0.38-0.56	190	0.81	0.75-0.86	0.66	0.59-0.73	0.5	0.42-0.58
Oligoastrocytic Tumour	170	0.79	0.73-0.85	0.7	0.63-0.76	0.5	0.42-0.58	230	0.83	0.77-0.87	0.68	0.61-0.74	0.55	0.48-0.62
Ependymal Tumours	105	0.94	0.87-0.97	0.91	0.83-0.95	0.83	0.72-0.9	125	0.91	0.84-0.95	0.87	0.79-0.92	0.84	0.74-0.9
Glioma Malignant NOS	235	0.52	0.46-0.58	0.41	0.35-0.47	0.31	0.25-0.38	285	0.57	0.51-0.62	0.49	0.43-0.55	0.38	0.31-0.44
Neuronal and Mixed Neuronal-Glial Tumours*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of the Pineal Region*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Embryonal Tumours*	.	.	..	.	..	.	..	55	0.67	0.53-0.78	0.56	0.42-0.68	0.53	0.39-0.65
Other Neuroepithelial Tumours*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of Cranial and Spinal Nerves*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Meningioma	90	0.83	0.73-0.9	0.79	0.69-0.87	0.6	0.47-0.71	65	0.82	0.7-0.89	0.63	0.5-0.74	0.47	0.33-0.6
Mesenchymal Tumours*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Primary Melanocytic Lesions*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Other Neoplasms Related to the Meninges*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Lymphoma	260	0.51	0.45-0.57	0.44	0.38-0.5	0.34	0.27-0.4	335	0.56	0.5-0.61	0.48	0.43-0.53	0.39	0.33-0.45
Other Hemopoietic Neoplasms*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Germ Cell Tumours, Cysts and Heterotopias*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of the Sellar Region*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Unclassified Tumours	375	0.27	0.23-0.31	0.21	0.17-0.26	0.17	0.12-0.21	320	0.26	0.22-0.31	0.23	0.18-0.28	0.17	0.12-0.23
Not Classified in CBTRUS*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Total	4280	0.51	0.5-0.53	0.36	0.35-0.38	0.25	0.24-0.27	5770	0.52	0.51-0.53	0.35	0.34-0.36	0.25	0.23-0.26

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

**Table 5: 1, 2 and 5 year net survival and age category by CBTRUS histology for patients with malignant brain tumours ages 20 and older (2010-15 BC, AB, MB, ON).**

Histology	(20-54)							(55+)						
	# of Cases	1-year	95% CI	2-year	95% CI2	5-year	95% CI3	# of Cases	1-year	95% CI	2-year	95% CI2	5-year	95% CI3
Pilocytic Astrocytoma***	95	.	..	.	..	0.92	0.84-0.96	.	.	..	.	..	.	..
Diffuse Astrocytoma	220	0.88	0.83-0.91	0.82	0.76-0.86	0.68	0.61-0.74	205	0.44	0.37-0.51	0.28	0.22-0.34	0.16	0.11-0.23
Anaplastic Astrocytoma	220	0.77	0.71-0.82	0.7	0.63-0.75	0.56	0.49-0.63	185	0.42	0.35-0.48	0.23	0.17-0.29	0.15	0.09-0.22
Unique Astrocytoma*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Glioblastoma	1210	0.66	0.64-0.69	0.35	0.33-0.38	0.15	0.13-0.17	4180	0.35	0.34-0.37	0.14	0.13-0.15	0.04	0.04-0.05
Oligodendroglioma	290	0.97	0.95-0.98	0.95	0.92-0.97	0.86	0.81-0.9	100	0.75	0.65-0.82	0.63	0.53-0.72	0.57	0.45-0.67
Anaplastic Oligodendroglioma	185	0.9	0.85-0.93	0.82	0.75-0.86	0.65	0.57-0.72	140	0.65	0.57-0.73	0.45	0.36-0.53	0.27	0.19-0.36
Oligoastrocytic Tumour	265	0.94	0.91-0.96	0.88	0.83-0.91	0.72	0.65-0.77	135	0.57	0.48-0.65	0.33	0.26-0.41	0.17	0.11-0.25
Ependymal Tumours	130	0.95	0.89-0.97	0.92	0.86-0.95	0.88	0.81-0.93	100	0.9	0.81-0.94	0.85	0.75-0.91	0.77	0.64-0.85
Glioma Malignant NOS	225	0.86	0.81-0.9	0.74	0.68-0.79	0.57	0.5-0.64	295	0.33	0.28-0.38	0.26	0.21-0.31	0.19	0.14-0.25
Neuronal and Mixed Neuronal-Glial Tumours*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of the Pineal Region*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Embryonal Tumours*	60	0.82	0.7-0.89	0.74	0.61-0.83	0.69	0.55-0.79	.	.	..	.	..	.	..
Other Neuroepithelial Tumours*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of Cranial and Spinal Nerves*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Meningioma**	50	.	..	0.76	0.62-0.86	0.6	0.44-0.73	105	0.79	0.69-0.86	0.71	0.6-0.79	0.52	0.39-0.63
Mesenchymal Tumours*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Primary Melanocytic Lesions*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Other Neoplasms Related to the Meninges*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Lymphoma	120	0.67	0.58-0.75	0.61	0.51-0.69	0.55	0.46-0.64	480	0.5	0.46-0.55	0.43	0.38-0.47	0.32	0.27-0.37
Other Hemopoietic Neoplasms*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Germ Cell Tumours, Cysts and Heterotopias*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of the Sellar Region*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Unclassified Tumours	70	0.65	0.53-0.75	0.57	0.45-0.67	0.5	0.37-0.61	625	0.23	0.2-0.26	0.19	0.15-0.22	0.13	0.09-0.17
Not Classified in CBTRUS*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Total	3325	0.8	0.78-0.81	0.64	0.62-0.65	0.49	0.48-0.51	6725	0.39	0.38-0.4	0.22	0.21-0.23	0.13	0.12-0.14

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

\*\*\*Censorship for both less than 50 cases, and the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

**Table 6: 1, 2 and 5 year net survival by ICCC histology for patients with malignant brain tumours ages 19 and younger (2010-15 BC, AB, MB, ON).**

ICCC Histology	# of Cases	1-year	95% CI	2-year	95% CI	5-year	95% CI
II Lymphomas and reticuloendothelial neoplasm*	.	.	.-.	.	.-.	.	.-.
III(a) Ependymomas and Choroid Plexus Tumours**	105	.	.-.	0.92	0.85-0.96	0.78	0.68-0.85
III(b) Astrocytomas	445	0.89	0.86-0.92	0.84	0.81-0.87	0.81	0.77-0.84
III(c) Intracranial and Intraspinal Embryonal	200	0.84	0.78-0.88	0.77	0.7-0.82	0.69	0.61-0.75
III(d) Other Gliomas	160	0.78	0.71-0.83	0.58	0.5-0.65	0.53	0.45-0.61
III(e) Other Specified Intracranial and Intraspinal Neoplasms*	.	.	.-.	.	.-.	.	.-.
IV Neuroblastoma and other peripheral nervous*	.	.	.-.	.	.-.	.	.-.
IX Soft Tissue and Other Extraosseous Sarcoma*	.	.	.-.	.	.-.	.	.-.
X(a) Intracranial and Intraspinal Germ Cell Tumours	100	0.86	0.78-0.92	0.82	0.73-0.88	0.8	0.7-0.87
Total	1070	0.87	0.85-0.89	0.79	0.77-0.82	0.74	0.71-0.76

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

**Table 7: 1, 2 and 5 year net survival by CBTRUS histology for patients with non-malignant brain tumours ages 20 and older (2010-15 BC, AB, MB, ON).**

Histology	# of Cases	1-year	95% CI	2-year	95% CI	5-year	95% CI
Unique Astrocytoma*	.	.	.-.	.	.-.	.	.-.
Choroid plexus tumour*	.	.	.-.	.	.-.	.	.-.
Ependymal Tumours**	205	.	.-.	.	.-.	0.95	0.87-0.98
Neuronal and Mixed Neuronal-Glial Tumours**	225	.	.-.	0.96	0.92-0.98	0.87	0.8-0.91
Tumours of the Pineal Region*	.	.	.-.	.	.-.	.	.-.
Embryonal Tumours*	.	.	.-.	.	.-.	.	.-.
Tumours of Cranial and Spinal Nerves	2340	0.99	0.98-0.99	0.99	0.98-0.99	0.99	0.94-0.99
Meningioma	7330	0.93	0.92-0.94	0.91	0.9-0.92	0.87	0.85-0.88
Mesenchymal Tumours**	105	.	.-.	.	.-.	0.93	0.83-0.97
Primary Melanocytic Lesions*	.	.	.-.	.	.-.	.	.-.
Other Neoplasms Related to the Meninges	300	0.97	0.93-0.98	0.96	0.92-0.98	0.94	0.89-0.97
Germ Cell Tumours, Cysts and Heterotopias*	.	.	.-.	.	.-.	.	.-.
Tumours of the Sellar Region	3720	0.97	0.97-0.98	0.97	0.96-0.97	0.96	0.94-0.97
Unclassified Tumours	4870	0.77	0.75-0.78	0.72	0.71-0.74	0.65	0.63-0.67
Not Classified in CBTRUS	90	0.92	0.84-0.96	0.87	0.78-0.93	0.82	0.7-0.89
Total	19290	0.91	0.9-0.91	0.89	0.88-0.89	0.85	0.84-0.85

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

**Table 8: 1, 2 and 5 year net survival by CBTRUS histology and sex for patients with non-malignant brain tumours ages 20 and older (2010-15 BC, AB, MB, ON).**

Histology	Males						Females							
	# of Cases	1-year	95% CI	2-year	95% CI	5-year	95% CI	# of Cases	1-year	95% CI	2-year	95% CI	5-year	95% CI
Unique Astrocytoma*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Choroid plexus tumour*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Ependymal Tumours**	115	.	..	.	..	0.93	0.79-0.98	95	.	..	.	..	.	..
Neuronal and Mixed Neuronal-Glial Tumours**	125	.	..	.	..	0.86	0.77-0.92	100	.	..	.	..	0.88	0.77-0.93
Tumours of the Pineal Region*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Embryonal Tumours*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of Cranial and Spinal Nerves****	1145	0.99	0.97-0.99	0.99	0.96-0.99	.	..	1195	0.99	0.98-0.99	0.99	0.97-0.99	0.98	0.95-0.99
Meningioma	2165	0.91	0.9-0.93	0.89	0.87-0.9	0.84	0.81-0.86	5170	0.94	0.93-0.94	0.92	0.91-0.93	0.88	0.86-0.89
Mesenchymal Tumours***	.	.	..	.	..	.	..	60	.	..	.	..	.	..
Primary Melanocytic Lesions*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Other Neoplasms Related to the Meninges**	150	.	..	.	..	0.95	0.84-0.98	150	0.96	0.91-0.98	0.95	0.89-0.98	0.93	0.86-0.97
Germ Cell Tumours, Cysts and Heterotopias*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of the Sellar Region	1895	0.97	0.96-0.98	0.97	0.95-0.97	0.96	0.94-0.97	1825	0.97	0.96-0.98	0.97	0.96-0.98	0.96	0.94-0.97
Unclassified Tumours	2035	0.73	0.71-0.75	0.69	0.66-0.71	0.6	0.57-0.63	2835	0.79	0.77-0.81	0.75	0.73-0.77	0.68	0.65-0.7
Not Classified in CBTRUS*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Total	7770	0.9	0.89-0.9	0.87	0.86-0.88	0.83	0.82-0.85	11520	0.91	0.91-0.92	0.89	0.89-0.9	0.86	0.85-0.86

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

\*\*\* Censorship for both less than 50 cases, and the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

\*\*\*\* Survival and SE could not be estimated as observed survival was better than what would be expected in the general population accounting for age, sex, province and year of diagnosis.

**Table 9: 1, 2 and 5 year net survival by CBTRUS histology and age group for patients with non-malignant brain tumours ages 20 and older (2010-15 BC, AB, MB, ON).**

Histology	(20-54)						(55+)							
	# of Cases	1-year	95% CI	2-year	95% CI	5-year	95% CI	# of Cases	1-year	95% CI	2-year	95% CI	5-year	95% CI
Unique Astrocytoma*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Choroid plexus tumour*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Ependymal Tumours**	130	.	..	.	..	.	..	80	.	..	.	..	0.93	0.7-0.98
Neuronal and Mixed Neuronal-Glial Tumours**	185	.	..	0.96	0.93-0.98	0.9	0.84-0.94	.	.	..	.	..	.	..
Tumours of the Pineal Region*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Embryonal Tumours*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of Cranial and Spinal Nerves**	1205	.	..	.	..	0.99	0.97-0.99	1135	0.98	0.97-0.99	0.99	0.96-0.99	.	..
Meningioma	2280	0.98	0.97-0.98	0.97	0.96-0.98	0.95	0.94-0.96	5055	0.91	0.9-0.92	0.88	0.87-0.89	0.83	0.81-0.85
Mesenchymal Tumours***	60	.	..	.	..	0.89	0.76-0.95	.	.	..	.	..	.	..
Primary Melanocytic Lesions*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Other Neoplasms Related to the Meninges**	175	.	..	.	..	0.94	0.88-0.97	125	0.94	0.87-0.97	0.93	0.85-0.97	0.95	0.8-0.98
Germ Cell Tumours, Cysts and Heterotopias*	.	.	..	.	..	.	..	.	.	..	.	..	.	..
Tumours of the Sellar Region	1830	0.99	0.98-0.99	0.99	0.98-0.99	0.98	0.97-0.99	1890	0.96	0.95-0.97	0.95	0.93-0.96	0.93	0.91-0.95
Unclassified Tumours	1345	0.93	0.91-0.94	0.9	0.88-0.92	0.86	0.84-0.88	3525	0.7	0.69-0.72	0.65	0.64-0.67	0.57	0.54-0.59
Not Classified in CBTRUS***	55	.	..	.	..	.	..	.	.	..	.	..	.	..
Total	7335	0.97	0.97-0.98	0.97	0.96-0.97	0.95	0.94-0.95	11955	0.86	0.86-0.87	0.84	0.83-0.84	0.79	0.77-0.8

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases disclosing that there were less than 5 deaths.

**Table 10: 1, 2 and 5 year net survival by ICCC histology for patients non-malignant with brain tumours ages 19 and younger (2010-15 BC, AB, MB, ON).**

ICCC Histology	# of Cases	1-year	95% CI	2-year	95% CI	5-year	95% CI
III(a) Ependymomas and Choroid Plexus Tumours*	.	.	.-.	.	.-.	.	.-.
III(b) Astrocytomas*	.	.	.-.	.	.-.	.	.-.
III(d) Other Gliomas*	.	.	.-.	.	.-.	.	.-.
III(e) Other Specified Intracranial and Intraspinial Neoplasms**	265	.	.-.	.	.-.	0.95	0.92-0.97
IV Neuroblastoma and other peripheral nervous*	.	.	.-.	.	.-.	.	.-.
IX Soft Tissue and Other Extraosseous Sarcoma**	155	.	.-.	.	.-.	.	.-.
X(a) Intracranial and Intraspinial Germ Cell Tumours**	260	.	.-.	.	.-.	0.97	0.94-0.98
Total	755	0.98	0.97-0.99	0.98	0.97-0.99	0.96	0.95-0.97

\* Values were censored due to the total number of cases being less than 50.

\*\* Survival point estimates were censored due to the product of the estimate and the number of cases disclosing that there were less than 5 deaths.